


2833/14



U.S. DEPARTMENT OF COMMERCE
PATENT AND TRADEMARK OFFICE

AMENDMENT TRANSMITTAL LETTER

Docket Number
10191/1172

Application Number
09/466,400

Filing Date
December 17, 1999

Examiner
Edwin A. Leon

Art Unit
2833

Invention Title
CONTACT ELEMENT FOR AXIAL CONTACTING

Inventor(s)
Michael FRIEDOW et al.

Address to:
Commissioner for Patents
Washington, D.C. 20231

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Commissioner for Patents, Washington, D.C. 20231 on:

Date: 4/17, 2003

Signature: *Richard L. Mayer*
Richard L. Mayer (Reg. No. 22,496)

Transmitted herewith is an Amendment for entry in the above-identified application.

1. The filing fee has been calculated as shown below:

	CLAIMS REMAINING AFTER AMENDMENT		HIGHEST NUMBER PREVIOUSLY PAID FOR	PRESENT NUMBER EXTRA	RATE (\$)	FEE (\$)
TOTAL CLAIMS	38	minus	20	18	18.00	324.00
INDEPENDENT CLAIMS	5	minus	3	2	84.00	168.00
04/28/2003 TWILLIAI 00000002 110600 09466400 01 FC: 1281 MULTIPLE DEPENDENT CLAIM ADDED 110.00 CH					280.00	
					TOTAL	492.00
					TOTAL DUE (small entity)	492.00

2. Please charge the additional claims fee of **\$492.00** to the deposit account of **Kenyon & Kenyon**, deposit account number **11-0600**.

RECEIVED
APR 24 2003
TECHNOLOGY CENTER 2800

3. Applicants request a one month extension of time to respond to the Office Action mailed December 23, 2002, resetting the response date to April 23, 2003. The extension fee of \$110.00 should be charged to deposit account of **Kenyon & Kenyon**, deposit account number **11-0600**.
4. The Commissioner is hereby authorized to charge payment of the following fees associated with this communication or credit any overpayment to the deposit account of **Kenyon & Kenyon**, deposit account number **11-0600**:
- A. Any additional filing fees required under 37 C.F.R. § 1.16;
 - B. Any additional patent application processing fees under 37 C.F.R. § 1.17;
 - C. Any additional document supply fees under 37 C.F.R. § 1.19;
 - D. Any additional post-patent processing fees under 37 C.F.R. § 1.20; or
 - E. Any additional miscellaneous fees under 37 C.F.R. § 1.21.
4. A duplicate copy of this letter is enclosed.

Dated: 4/17/03

By: *Richard L. Mayer*

By: [Signature] Pg 1635, 152
Richard L. Mayer
Reg. No. 22,490

KENYON & KENYON
One Broadway
New York, New York 10004
(212) 425-7200 (telephone)
(212) 425-5288 (facsimile)

CUSTOMER NO. 26646



26646

PATENT TRADEMARK OFFICE



[10191/1172]

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Inventor(s) : Michael FRIEDOW et al.
Serial No. : 09/466,400
Filed : December 17, 1999
For : CONTACT ELEMENT FOR AXIAL CONTACTING
Examiner : Edwin A. Leon
Art Unit : 2833

Commissioner for Patents
Washington, D.C. 20231

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Commissioner for Patents, Washington, D.C. 20231 on:

Date:

Signature:

Richard L. Mayer (Reg. No. 22,490)

2010
4/25/13
RECEIVED

APR 24 2003
TECHNOLOGY CENTER 2800

04/22/2003 HGUTEMAI 00000088 110600 09466400

01 FC:1202 324.00 CH
02 FC:1201 168.00 CH

AMENDMENT

S I R:

This amendment is filed in response to the Office Action of December 23, 2002 in connection with the above-captioned application. Please amend the above-captioned application as follows:

IN THE CLAIMS:

Please amend claims 4, 8, 17 and 18, without prejudice, as follows:

4. (Amended) A device for contacting an electrically operated apparatus, comprising:

at least one terminal contact on a side of the apparatus, the at least one terminal contact being oriented parallel to an installation direction of the apparatus; and

a plug for connecting axially to the at least one terminal contact, the plug including at least one sleeve contact, the at least one sleeve contact and the at least one terminal contact being adapted to be assembled together parallel to the installation direction, wherein the at least one sleeve contact includes two concentric sleeve contacts and the at least one terminal contact includes two concentric terminal contacts, the two concentric sleeve contacts connecting to the two concentric terminal contacts, wherein the terminal contacts have two contact plates bent into a cylindrical shape and situated on an end of a casing of the apparatus.